

COPY

Tract.

Surv. No. 5675

(Gen. Harrison's Order)

Beginning at Cor. No. 1,
 Identical with Cor. No. 1 of the location,
 A spruce post 4.5 ft. long, 5 ins. square,
 set 2 ft. in the ground, with mound of
 stone, marked 5675, whence

The N. 1/4 Cor. of sec. 4, T. 12 S. R. 82 W. of
 the 6th Principal Meridian bears N. 32°
 20' E. 501 ft.

Cor. No. 1. Surv. No. 315; Robb and Bayes
 lots, Francis E. Mann's claimants, and
 Cor. No. 2 Surv. No. 409 David's lot, James
 McHasson and J. L. Loomis claimants,
 bears N. 49° 29' E. 267.8 ft.

N. 1/4 Cor. No. 1 of the Jeanette lots, unresur-
 veyed, Henry Beck et al. claimants bears
 S. 60° E. 2.3 ft.

Thence N. 3° E.

Var. 14° 35' E.

1445 Top of Mountain Ridge, course N. 60° E.
 1499.8 Intersect line 42-43 of this survey.
 1555 To Cor. No. 2,

Identical with Cor. No. 2 of the location,
 A pine post 4.5 ft. long, 5 ins. square,
 set 2 ft. in the ground, with mound of
 stone, marked 5675, whence
 Stonn's Peak bears S. 65° 35' W.
 Grizzly Peak bears N. 83° 52' W.

Thence S. 57° E.

Var. 14° 5' E.

90 Top of Mountain Ridge, course N. 60° E.
 370 To Cor. No. 3

Identical with Cor. No. 3 of the
 location and Cor. No. 6 of this survey,
 A spruce post 4.5 ft. long, 5 ins. square,
 set 2 ft. in the ground, with mound of
 stone, marked 5675

Added
Amended

Feet.

Thence $N. 3^{\circ} W.$
 Cor. $14^{\circ} 35' E.$

- 507.5 Intersect lines 42-43 of this survey.
 116.9 Intersect lines 2-3 Cor. No. 6315 and 1-2
 Cor. No. 4009 at $N. 31^{\circ} E. 225.1$ ft. from Cor. No. 1
 Cor. No. 6315 and Cor. No. 2 Cor. No. 4009.
 133.0 To marker, corner $S. E.$
 127.7 Intersect lines 4-5 Cor. No. 6315 and 2-3
 Cor. No. 4009 at $S. 59^{\circ} E. 119.7$ ft. from Cor.
 No. 1 Cor. No. 6315 and Cor. No. 2 Cor. No. 4009.
 150.0 To Cor. No. 4

Identical with Cor. No. 4 of the location and
 Cor. No. 5 of this survey,
 A space feet 4.5 ft. long, 5 in. square, set
 2 ft. in the ground, with mound of stone,
 marked $S 75^{\circ}$ whence
 Mouth of old tunnel bears $S. 43^{\circ} 15' W. 42.2$ ft.
 A space feet 14 and dist. marked $S. T. 367^{\circ}$
 line $S. 52^{\circ} 20' W. 132.7$ ft.

Thence $N. 87^{\circ} W.$
 Cor. $14^{\circ} 35' E.$

- 34.6 To Cor. No. 36 of this survey.
 303 To Cor. No. 1, the place of beginning.

Examine Mrs. Elain's Note.

Beginning at Cor. No. 5,
 Identical with Cor. No. 1 of the location
 and Cor. No. 4 of this survey.

Thence $N. 3^{\circ} E.$
 Cor. $14^{\circ} 35' E.$

- 123.1 Intersect lines 4-5 Cor. No. 6315 and 2-3
 Cor. No. 4009 at $S. 59^{\circ} E. 119.7$ ft. from
 Cor. No. 1 Cor. No. 6315 and Cor. No. 2 Cor.
 No. 4009.
 150 To marker, corner $S. E.$
 323.1 Intersect lines 1-2 Cor. No. 6315 and 1-2
 Cor. No. 4009 at $N. 31^{\circ} E. 225.1$ ft. from Cor. No.
 1 Cor. No. 6315 and Cor. No. 2 Cor. No. 4009.
 1140.7 Intersect lines 42-43 of this survey

Feet.

- 1500 To Cor. No. 6.
 Identical with Cor. No. 2 of the location
 and with Cor. No. 3 of this survey.

Thence $S. 57^{\circ} E.$
 Cor. $14^{\circ} 35' E.$

- 110.3 Intersect lines 44-45 of this survey.
 350 To Cor. No. 7
 Identical with Cor. No. 3 of the location
 A space feet 4.5 ft. long, 5 in. square,
 set 2 ft. in the ground, with mound of stone
 marked $S 75^{\circ}$ whence
 Cor. No. 10 of this survey, bears $N. 3^{\circ} E.$
 207.5 ft.

Thence $S. 3^{\circ} W.$
 Cor. $14^{\circ} 10' E.$

- 225.7 Intersect line 44-45 of this survey.
 502.8 Intersect lines 1-2 Cor. No. 6315 and
 1-2 Cor. No. 4009 at $S. 31^{\circ} W. 635.8$ ft. from
 Cor. No. 2 Cor. No. 6315 and Cor. No. 1 Cor.
 No. 4009.
 675.6 Intersect line 42-43 of this survey.
 1191.7 Intersect lines 3-4 and 5-6 Cor. No. 6315,
 3-4 Cor. No. 4009 and 1-2 Cor. No. 4010
 Ferris Cole, James McNease and J. L.
 Brown's claimants at $N. 31^{\circ} E. 217.9$ ft.
 from Cor. No. 4 and 5 Cor. No. 6315, $S 75^{\circ}$
 Cor. No. 4009 and 2 of Cor. No. 4010.
 1292.5 Intersect line 32-24 and Cor. No. 7 of
 this survey.
 1500 To Cor. No. 8
 Identical with Cor. No. 4 of the location.
 A space feet 4.5 ft. long, 5 in. square
 set 2 ft. in the ground with mound
 of stone, marked $S 75^{\circ}$ whence
 Cor. No. 9 of this survey bears $N. 3^{\circ} E.$
 207.5 ft.

Thence $N. 87^{\circ} W.$
 Cor. $14^{\circ} 35' E.$

Feet

- 38.7 Intersect lines 8-5 Surv. No. 6315 and
7-3 Surv. No. 4010 at N. 57° W. 207.3 ft.
from Cor. No. 8 Surv. No. 6315 and 3 of
Surv. No. 4010.
- 82.8 Intersect line 81-32 and Cor. No. 33, this survey,
132.8 To various lines, course S. E.
- 300 To Cor. No. 5, the place of beginning.

Strand Central Road.

- Beginning at Cor. No. 7,
Identical with Cor. No. 1 of the amended
location and at the intersection of lines
32-29 and 7-8 of this survey.
A spruce post 4.5 ft. long, 5 ins.
square set 2 ft. in the ground with
mound of stone, marked 5675, whence
Cor. No. 4 and 5 Surv. No. 6315, 3 of Surv.
No. 4009 and 2 of Surv. No. 4010 bears
S. 43° 34' W. 216.1 ft.

A spruce tree 18 ins. dia. marked
B.T. 5675 bears N. 51° 30' E. 38.7 ft.

Bearing N. 3° E.

Dist. 14° 35' E.

- 102.8 Intersect lines 3-4 and 5-6 Surv. No.
6315; 1-2 of Surv. No. 4010 and 3-4 of
Surv. No. 4009 at N. 31° E. 229.9 ft.
from Cor. No. 4 and 5 Surv. No. 6315,
2 of Surv. No. 4010 and 3 of Surv. No. 4009.
- 613.7 Intersect line 42-43 of this survey.
- 739.7 Intersect lines 1-2 Surv. No. 6315 and
1-2 Surv. No. 4009 at S. 31° W. 635.8 ft.
from Cor. No. 2 Surv. No. 6315 and 1 of
No. 4009.
- 1066.8 Intersect line 44-41 of this survey.
- 1292.5 To Cor. No. 7 of this survey.
- 1500 To Cor. No. 10
Identical with Cor. No. 2 of the
amended location.
A spruce post 4.5 ft. long, 5 ins.

Feet

square, set 2 ft. in the ground, with
mound of stone, marked 5675, whence
Cor. No. 14 of this survey bears
W. by N. 21° 48' E.

Bearing S. 87° E.

Dist. 14° 15' E.

- 300 To Cor. No. 11,
Identical with Cor. No. 3 of the amended
location, on line 13-14 of this survey.
A spruce post 4.5 ft. long, 5 ins.
square, set 2 ft. in the ground with
mound of stone, marked 5675, whence
Cor. No. 14 of this survey bears
N. 3° E. 727.7 ft.

Bearing S. 9° W.

- 199.7 Intersect lines 2-3 Surv. No. 6315 and
4-1 Surv. No. 4009 at S. 57° E. 16 ft.
from Cor. No. 2 Surv. No. 6315 and 1
Surv. No. 4009.
- 772.3 Intersect line 44-41 and Cor. No. 13 of
this survey.
- 835.2 Intersect lines 3-4 and 5-6 Surv. No. 6315;
3-4 Surv. No. 4009 and 1-2 Surv. No. 4010
at S. 31° W. 561.3 ft. from Cor. No. 3 and
6 Surv. No. 6315, 4 Surv. No. 4009 and 1
Surv. No. 4010.
- 968 To Morgan Bay, course S. E.
- 980.7 Intersect lines 41-42 and 40-37 of
this survey.
- 1225 Intersect line 37-38 of this survey.
- 1410 To trail, course N. E. and S. W.
- 1474.2 Intersect lines 7-8 Surv. No. 6315 and
3-4 Surv. No. 4010 at N. 31° E. 374.4 ft.
from Cor. No. 8 Surv. No. 6315 and 3 Surv. No. 4010.
- 1500 To Cor. No. 12

Identical with Cor. No. 4 of the
amended location.

A spruce post 4.5 ft. long, 5 ins. square,
set 2 ft. in the ground, marked 5675,
whence

Back

A spruce tree 18 ins. dia. marked
 S.T. 5675 bears S. 64° 14' E. 6 ft.

Thence N. 87° 44'

Var. 14° 35' E.

137 Intersect lines 7-8 Surv. No. 6315 and
 3-4 Surv. No. 4010 at N. 31° E. 345.2 ft.
 from Cor. No. 8 Surv. No. 6315 and 3
 Surv. No. 4010.

52.8 Intersect line 27-28 and Cor. No. 29 of
 this survey.

303 To Cor. No. 9, the place of beginning.

Small Hoop's Rock.

Beginning at Cor. No. 13,

Identical with Cor. No. 1 of the location
 and at the intersection of lines 11-12
 and 44-41 of this survey,

A spruce post 4.5 ft. long, 5 ins.
 square, set 18 ins. in the ground, with
 mound of stone, marked $\frac{5675}{10-11}$, whence
 Cor. No. 40-41 of this survey bears
 S. 35° 30' E. 156.1 ft.

Thence N. 3° E.

Var. 14° 30' E.

572.6 Intersect lines 2-3 Surv. No. 6315 and 4-1
 Surv. No. 4007 at S. 59° E. 1.6 ft. from
 Cor. No. 2 Surv. No. 6315 and 1 Surv. No. 4007.

772.3 To Cor. No. 11 of this survey.

172.3 To western corner to Cor. No. 14, at. on top
 of mountain ridge, crest of ridge N. 50° E.;
 a spruce post 4.5 ft. long, 5 ins. square, set
 15 ins. in the ground, with mound of
 stone, marked N. E. $\frac{5675}{10-11}$,

1500 To Cor. No. 14,

"A point unavailable for the establishment
 of a permanent corner.

Thence S. 35° 30' E.

2054 To western corner to Cor. No. 14.

Front

A post 4.5 ft. long, 5 ins. square, set 18 ins.
 in the ground, with mound of stone, marked
 N. E. $\frac{5675}{10-11}$,

1005.4 To Cor. No. 15

Identical with Cor. No. 3 of the location
 and Cor. No. 18 of this survey,

A spruce post 4.5 ft. long, 5 ins. square,
 set 2 ft. in the ground, with mound of
 stone, marked $\frac{5675}{10-11}$ whence
 Pass Peak bears S. 8° 35' E.

Mt. La Plata bears S. 50° 10' E.

Stub's Peak bears S. 56° 35' E.

Thence S. 3° 44'

Var. 14° E.

766.6 Intersect lines 6-7 Surv. No. 6315 and 4-1
 Surv. No. 4010 at S. 59° E. 5.8 ft. from
 Cor. No. 6 Surv. No. 6315 and 1 Surv. No. 4010.

1393.1 Intersect lines 7-8 Surv. No. 6315 and
 3-4 Surv. No. 4010 at S. 31° 44' 55.23 ft.
 from Cor. No. 7 Surv. No. 6315 and 4 Surv. No. 4010.

1500 To Cor. No. 16, in Mangan Canyon,

Identical with Cor. No. 4 of the location
 and Cor. No. 17 of this survey, on line
 39-40 of this survey,

A spruce post 4.5 ft. long, 5 ins.
 square, set 2 ft. in the ground, with
 mound of stone, marked $\frac{5675}{10-11}$, whence

A spruce tree 6 ins. dia. bears N. 75° E. 57.4 ft.

A spruce tree 6 ins. dia. bears N. 34° 44' 33.7 ft.,
 both marked C.T. $\frac{5675}{10-11}$.

Thence N. 35° 30' 44'

Var. 14° 30' E.

53.6 Intersect lines 7-8 Surv. No. 6315 and 3-4
 Surv. No. 4010 at S. 31° 44' 52.9 ft.
 from Cor. No. 7 Surv. No. 6315 and 4 Surv. No.
 4010

249.3 To Cor. No. 40-41 of this survey.

373.9 Intersect lines 3-4 and 5-6 Surv. No. 6315,
 1-2 Surv. No. 4010 and 3-4 Surv. No. 4007

Part.

at N. 31° W. 516.8 ft. from Cor. No. 3-6 (Cor. No. 6315, 1 Cor. No. 4010 and 4 Cor. No. 4009).

105.4 To Cor. No. 13,

The place of beginning.

Jim Blaine Road.

Beginning at Cor. No. 17,

(Identical with Cor. No. 1 of the location and Cor. No. 16 of this survey.)

Bearing N. 3° E.

Var. 14° 30' E.

106.7 Intersect lines 7-8 Cor. No. 6315 and 3-4 Cor. No. 4010 at S. 31° W. 553.3 ft. from Cor. No. 7 Cor. No. 6315 and 4 Cor. No. 4010.

733.4 Intersect lines 6-7 Cor. No. 6315 and 4-1 Cor. No. 4010 at S. 59° E. 5.8 ft. from Cor. No. 6 Cor. No. 6315 and 1 Cor. No. 4010.

1511 To Cor. No. 18

Identical with Cor. No. 2 of the location, and Cor. No. 15 of this survey.

Bearing S. 38° 30' E.

Var. 14° E.

105.4 To Cor. No. 19,

Identical with Cor. No. 3 of the location, a spruce post 4.5 ft. long, 5 ins. square, set 2 ft. in the ground with mound of stone, marked $\frac{3}{5}$ when

a spruce tree 14 ins. dia. bears S. 4° E. 107 ft.

A spruce tree 10 ins. dia. bears S. 31° 30' W. 87.6 ft. Both marked B.T. $\frac{3}{5}$.

Bearing S. 3° W.

Var. 14° E.

1000 To Cor. No. 20,

Identical with Cor. No. 4 of the location, on line 37-40 of this survey,

a spruce post, 4.5 ft. long, 5 ins. square,

Full

set 12 ins. in the ground, with mound of stone, marked $\frac{3}{5}$,

Bearing N. 30° 00' W. Var. 14° 35' E.

55 To Morgan Lodge, course S. 40° E.

237 To mouth of gun cut,

254 To dump at mouth of gun cut,

260 To Morgan Lodge, course S. 40° E.

105.4 To Cor. No. 17,

The place of beginning.

Green Cleveland Road

Beginning at Cor. No. 21,

Identical with Cor. No. 3 of the location, on line 37-38 of this survey,

a spruce post 4.5 ft. long, 5 ins. square, set 2 ft. in the ground with mound of stone, marked $\frac{3}{5}$, whence

a spruce tree 14 ins. dia. bears S. 48° W. 145 ft.

A spruce tree 10 ins. dia. bears S. 12° 45' W. 54.7 ft. Both marked B.T. $\frac{3}{5}$

Bearing S. 3° W.

Var. 14° 35' E.

350 To ravine, course S. 65° E.

934 To wagon road, course N. E. 2° S. W.

1500 To Cor. No. 22,

Identical with Cor. No. 4 of the location

a spruce post 4.5 ft. long, 5 ins. square, set 2 ft. in the ground, with mound of stone, marked $\frac{3}{5}$, whence

S. E. corner of a cabin bears N. 14° W. 125 ft.

Bearing N. 38° 30' W.

Var. 14° 35' E.

51 To Taylor Pass Trail, course N. and S.

998.4 To Cor. No. 23,

Identical with Cor. No. 1 of the location and Cor. No. 26 of this survey,

Feet

As spruce post 4.5 ft. long, 5 ins. square,
set 2 ft. in ground with remains of
stone, marked $56\frac{7}{8}$, whence
As spruce tree 10 ins. dia. marked B. T.
 $56\frac{7}{8}$ bears N. 28° E. 19.6 ft.
S. E. corner of a cabin bears N. 39° E. 205.1 ft.

Thence N. 3° E.

Var. 14° 35' E.

- 840 To trail course N. E. and S. W.
960 To no. in course S. 45° E.
1500 To Cor. No. 24,

Identical with Cor. No. 2 of the loca-
tion and Cor. No. 25 of this survey.

As spruce post 4.5 ft. long, 5 ins. square,
set 2 ft. in the ground with remains of
stone, marked $56\frac{7}{8}$, whence

As spruce tree 7 ins. dia. marked B. T.
 $56\frac{7}{8}$ bears N. 30° 35' W. 37 ft.

Dominant peak bears S. 22° 55' W.

Dominant peak on N. E. Caving bears
S. 22° E.

Thence S. 38° 30' E.

Var. 14° 35' E.

- 398.7 To Cor. No. 21,
the place of beginning.

Survey Code.

Beginning at Cor. No. 25,

Identical with Cor. No. 3 of amended
location and Cor. No. 24 of this survey.

Thence S. 3° W.

Var. 14° 35' E.

- 540 To various course S. 65° E.
660 To trail course N. E. and S. W.
1500 To Cor. No. 26,

Identical with Cor. No. 4 of the amended
location and Cor. No. 23 of this survey.

Thence N. 38° 30' W.

Feet

Var. 14° 35' E.

- 398.4 To Cor. No. 27,
Identical with Cor. No. 1 of the amended
location.

As spruce post 4.5 ft. long, 5 ins. square
set 2 ft. in the ground with remains
of stone, marked $56\frac{7}{8}$, whence

Cor. No. 30 of this survey bears S. 37°
36.5 ft.

As spruce tree 13 ins. dia. marked
B. T. $56\frac{7}{8}$ bears N. 16° E. 98.5 ft.

Thence N. 3° E.

Var. 14° 40' E.

- 770 To various course S. 60° E.
101.5 Intersect lines 7-8 Sur. No. 6315 and
3-4 Sur. No. 4010 at N. 31° E. 19.8 ft.
from Cor. No. 8 Sur. No. 6315 and 8
Sur. No. 4010,
1131.5 Intersect line 12 - yard Cor. No. 29 of this survey.

- 1500 To Cor. No. 28,

Identical with Cor. No. 2 of the
amended location.

As spruce post 4.5 ft. long, 5 ins.
square, set 2 ft. in the ground, with
remains of stone, marked $56\frac{7}{8}$, whence
Cor. No. 37-42 of this survey, bears
N. 38° 30' W. 58 ft.

Mouth of tunnel bears S. 49° 55' E. 174 ft.

Thence S. 38° 30' E.

Var. 14° 30' E.

- 125 Intersect lines 11-12 of this survey,
249.1 Intersect lines 7-8 Sur. No. 6315 and 3-4
Sur. No. 4010 at N. 31° E. 550.7 ft. from
Cor. No. 8 Sur. No. 6315 and 8 Sur. No.
4010.

- 398.4 To Cor. No. 25,

the place of beginning.

New Survey Code.

Beginning at Cor. No. 29

Feet.

Identical with Cor. No. 3 of the rounded location,

A spruce post 4.5 ft. long, 6 ins. square, set 2 ft. in the ground, with mound of stones, marked 5675 , whence Cor. No. 12 of this survey, bears S. 87° E. 82.8 ft.

A spruce tree 6 ins. dia. marked B.T. 5675 , bears N. 16° $30'$ E. 38.1 ft.

Bearing S. 3° W.

Var. 14° $35'$ E.

130 Intersect lines 7-8 Sur. No. 6315 and 3-4 Sur. No. 4010 at N. 31° E. 198 ft. from Cor. No. 8 Sur. No. 6315 and 3 Sur. No. 4010.

3645 To various course S. 60° E.

11815 To Cor. No. 27 of this survey.

1500 To Cor. No. 30,

Identical with Cor. No. 11 of the rounded location,

A spruce post 4.5 ft. long, 5 ins. square, set 2 ft. in the ground, with mound of stone, marked 5675 , whence

Bearing N. 87° W.

Var. 14° $35'$ E.

300 To Cor. No. 31,

Identical with Cor. No. 1 of the rounded location,

A spruce post 4.5 ft. long, 6 ins. square, set 2 ft. in the ground, with mound of stone, marked 5675 , whence prominent peak of rock on Mills Peak bears S. 25° $30'$ W.

Prominent peak on Mt. Irving bears S. 14° $15'$ E.

Bearing N. 3° E.

Var. 14° $35'$ E.

1256 To various, course S. 60° E.

Feet.

1292.5 Intersect lines 3-5 of this survey, and Cor. No. 33 of this survey.

1305.2 Intersect lines 3-5 Sur. No. 6315 and 3-3 Sur. No. 4010 at S. 57° E. 65.7 ft. from Cor. No. 5 Sur. No. 6315 and 2 Sur. No. 4010.

1445.1 Intersect lines 3-4 and 5-6 Sur. No. 6315, 1-2 Sur. No. 4010 and 3-4 Sur. No. 4008 at N. 31° E. 123.5 ft. from Cor. No. 7-5 Sur. No. 6315, 2 Sur. No. 4010 and 3 Sur. No. 4008.

1500 To Cor. No. 32,

Identical with Cor. No. 2 of the rounded location,

A spruce post 4.5 ft. long, 5 ins. square, set 2 ft. in the ground with mound of stone, marked 5675 , whence

A spruce tree 12 ins. dia. marked B.T. 5675 bears S. 1° $14'$ $54'$ ft.

Bearing S. 87° E.

Var. 14° $30'$ E.

29.2 Intersect lines 3-4 and 5-6 Sur. No. 6315, 3-4 Sur. No. 4008 and 1-2 Sur. No. 4010 at N. 31° E. 155.7 ft. from Cor. No. 4 and 5 Sur. No. 6315, 3 Sur. No. 4008 and 2 Sur. No. 4010.

82.8 Intersect line 7-8 and Cor. No. 9 of this survey.

300 To Cor. No. 29

the place of beginning.

Little Giant Rock.

Beginning at Cor. No. 33

Identical with Cor. No. 3 of the location, at the intersection of lines 3-5 and 34-32 of this survey,

A spruce post, 4.5 ft. long, 5 ins. square, set 2 ft. in the ground with mound of stone, marked 5675 , whence

Cor. No. 8 of this survey bears S. 87° E. 82.8 ft.

A spruce tree 18 ins. dia. marked B.T. 5675 bears S. 66° $40'$ $92'$ ft.

Feet.

Thence S. 12° 5' N.

Var. 14° 30' E.

- 86 To ravine, course S. 60° E.
 1165 To ravine course S. E.
 1500 To Cor. No. 34,

Identical with Cor. No. 4 of the location,

A spruce post 4.5 ft. long, 5 ins. square, set 2 ft. in the ground with mound of stone, marked $\frac{5675}{5675}$

Thence N. 87° W.

Var. 14° 30' E.

- 213.7 To Cor. No. 35,

Identical with Cor. No. 1 of the location,

A spruce post 4.5 ft. long, 5 ins. square, set 2 ft. in the ground with mound of stone, marked $\frac{5675}{5675}$, whence

A spruce tree 8 ins. dia. marked B.T. $\frac{5675}{5675}$ bears S. 85° E. 153.2 ft.

Thence N. 12° 5' E.

Var. 14° 30' E.

- 435 To ravine, course westerly.
 872 To a point, four feet west of the N. E. corner of Henry Beck's cabin
 1166 Intersect line 2-3 of the Jeannette lead, at S. 32° 30' W. 264.6 ft. from Cor. No. 2.
 1339 Intersect line 1-2 of the Jeannette lead at N. 57° 30' W. 98.5 ft. from Cor. No. 2.
 1500 To Cor. No. 36,

Identical with Cor. No. 2 of the location,

A spruce post 4.5 ft. long, 5 ins. square, set 2 ft. in the ground with mound of stone, marked $\frac{5675}{5675}$, whence

A spruce tree 13 ins. dia. marked B.T. $\frac{5675}{5675}$ bears N. 63° 15' E. 64 ft.

Thence S. 87° E.

Var. 14° 30' E.

Feet.

- 86.6 To Cor. No. 4-5 of this survey
 258 To ravine, course S. 55° E.
 3038 To Cor. No. 33,
 The place of beginning.

Thence S. 87° E.

Beginning at Cor. No. 37

Identical with Cor. No. 2 of the location and Cor. No. 42 of this survey.

A spruce post 4.5 ft. long, 5 ins. square, set 2 ft. in the ground with mound of stone, marked $\frac{5675}{5675}$, whence

Cor. No. 28 of this survey bears S. 30° 31' E. 58 ft.

Thence S. 38° 30' E.

Var. 14° 30' E.

- 58 To Cor. No. 28 of this survey,
 183 Intersect line 11-12 of this survey,
 3079 Intersect line 7-8 Cor. No. 6315 and 3-4 Cor. No. 4010 at N. 31° E. 550.7 ft. from Cor. No. 8 and Cor. No. 6315 and 3 Sur. No. 4010.
 4864 To Cor. No. 24-25 of this survey,
 8048 To Cor. No. 21 of this survey,
 14415 To meadow road, course N. E. 40° E. 11.
 1500 To Cor. No. 38

Identical with Cor. No. 1 of the location.

A spruce post 4.5 ft. long, 5 ins. square, set 2 ft. in the ground with mound of stone, marked $\frac{5675}{5675}$, whence

A spruce tree 14 ins. dia. marked B.T. $\frac{5675}{5675}$ bears N. 55° 8' W. 213 ft.

Thence N. 51° 30' E.

Var. 14° 30' E.

- 300 To Cor. No. 39,
 Identical with Cor. No. 4 of the location,

A spruce post 4.5 ft. long, 5 ins. square, set 2 ft. in the ground with

Foot.

marked of stone, marked 5675 , whenever
 a space has 24. ins. dia. marked B.T.
 5675 , bears $N. 66^{\circ} 10' 41''$, 151 ft.
 Old Mountain bears $S. 5^{\circ} 45' 14''$.

Thence $N. 38^{\circ} 30' 14''$.Var. $14^{\circ} 35' E.$

- 281 To Morgan road, course $N. E. \frac{1}{2}$ and $S. W. \frac{1}{2}$.
 780 To Morgan Gorge course $S. 45^{\circ} E.$
 245.3 To Cor. No. 20 of this survey,
 780 To Morgan Gorge, course $S. E.$
 1581 To dump at mouth of open cut,
 1898
 1105 To Morgan Gorge, course $S. 40^{\circ} E.$
 1250.7 To Cor. No. 16-17 of this survey,
 1304.9 Intersect lines 7-8 Surv. No. 6315 and
 3-4 Surv. No. 4010 at $S. 31^{\circ} 14' 62''$ ft.
 from Cor. No. 7 Surv. No. 6315 and 4
 Surv. No. 4010,
 1505 To Cor. No. 40,
 Identical with Cor. No. 3 of the location
 and Cor. No. 41 of this survey,
 A space post 4.5 ft. long, 5 ins.
 square, set 2 ft. in the ground with
 mound of stone, marked 5675 ,

Thence $S. 57^{\circ} 30' 14''$.Var. $14^{\circ} 30' E.$

- 130 To Morgan Gorge, course $S. E.$
 135.1 Intersect line 11-12 of this survey,
 300 To Cor. No. 37,
 the place of beginning.

Josephine Road.

Beginning at Cor. No. 41

Identical with Cor. No. 4 of the location,
 and Cor. No. 40 of this survey,

Thence $S. 57^{\circ} 30' 14''$.Var. $14^{\circ} 30' E.$

- 130 To Morgan Gorge, course $S. E.$

Foot.

- 138.1 Intersect line 11-12 of this survey,
 300 To Cor. No. 42
 Identical with Cor. No. 1 of the location
 and Cor. No. 37 of this survey.

Thence $N. 38^{\circ} 30' 14''$.Var. $14^{\circ} 30' E.$

- 12.4 Intersect lines 3-4 and 5-6 Surv. No. 6315,
 1-2 Surv. No. 4010 and 3-4 Surv. No. 4009,
 at $S. 31^{\circ} 14' 837.1$ ft. from Cor. No. 3-6 Surv.
 No. 6315, 1 Surv. No. 4010 and 4 Surv.
 No. 4009.
 267.7 Intersect lines 7-8 and 9-10 of this survey.
 332.7 Intersect lines 1-2 Surv. No. 6315 and
 1-2 Surv. No. 4004 at $N. 31^{\circ} E. 775.2$ ft.
 from Cor. No. 2.
 722.4 Intersect lines 3-4 and 5-6 of this survey.
 1120 Top of mountain ridge, course $N. 60^{\circ} E.$
 1175.1 Intersect line 1-2 of this survey.
 1500 To Cor. No. 43,
 Identical with Cor. No. 2 of the location,
 A space post 4.5 ft. long, 5 ins.
 square, set 20 ins. in the ground
 with mound of stone, marked
 5675 whenever
 Storm's Peak bears $S. 62^{\circ} 25' 14''$.
 Strigley Peak bears $N. 35^{\circ} 55' 14''$.

Thence $N. 57^{\circ} 30' E.$ Var. $14^{\circ} E.$

- 300 To Cor. No. 44,
 Identical with Cor. No. 3 of the loca-
 tion,
 A space post 4.5 ft. long, 5 ins.
 square, set 2 ft. in the ground with
 mound of stone, marked 5675

Thence $S. 38^{\circ} 30' E.$ Var. $14^{\circ} E.$

- 420 Top of mountain ridge, course $N. 60^{\circ} E.$
 527.5 Intersect line 6-7 of this survey.

Tract

- 141.2 Subsect lines 7-8 and 9-10 of this survey.
 141.4 Subsect lines 1-2 Surv. No. 6315 and 1-2
 Surv. No. 4009 at S 31° W. 414.8 ft. from
 Cor. No. 2 Surv. No. 6315 and 1 Surv. No.
 4009.
 147.3.9 Subsect line 11-12 and Cor. No. 13 of this
 survey.
 147.5.40 Subsect lines 3-4 and 5-6 Surv. No. 6315,
 3-4 Surv. No. 4009 and 1-2 Surv. No. 4010 at
 S. 31° W. 516.8 ft. from Cor. No. 3-6 Surv.
 No. 6315, 4 Surv. No. 4009 and 1 Surv.
 No. 4010.
 1570 To Cor. No. 41
 the place of beginning.

Area.

Total area of Sam Harrison's lots	10.33 acres.
Area in conflict with	
Surv. No. 4009	.307
" " 6315 (Robb's lots (embraced in Tract A, hereinafter described))	.307
Samplin's lots	1.17
Total area of Sam Harrison's lots	10.33 acres
Less area in conflict with	
Surv. No. 6315 Robb's lots	.312
Net area of Sam Harrison's lots	11.021 acres.
Total area of Granite Mountain lots	10.33 acres.
Area in conflict with	
Surv. No. 4009	3.480
" " 4009, exclusive of its con- flict with Samplin's lots	3.620
Surv. No. 4009, exclusive of its con- flict with New Discovery lots	3.662
Surv. No. 4009, exclusive of its conflict with Samplin & New Discovery lots	3.612
Surv. No. 4010	.531
" " 4010, exclusive of its con- flict with New Discovery lots	.155

Surv. No. 6315 Robb's lots (embraced in Tract A)	3.480 acres.
Surv. No. 6315 Robb's lots, exclusive of its conflict with Samplin's lots	3.620
Surv. No. 6315 Robb's lots, exclusive of its conflict with New Discovery lots	3.662
Surv. No. 6315 Robb's lots, exclusive of its conflict with Samplin and New Discovery lots	3.612
Surv. No. 6315 Ruyos lots (embraced in Tract A)	.531
Surv. No. 6315 Ruyos lots, exclusive of its conflict with New Discovery lots	.155
Samplin's lots	3.587
Samplin's lots, exclusive of its con- flict with Surv. No. 4009	2.977
Samplin's lots, exclusive of its con- flict with Surv. No. 6315 Robb's lots, (embraced in Tract C, hereinafter described)	2.947
New Discovery lots	3.96
Total area of Granite Mountain lots	10.33 acres.
Less area in conflict with	
Surv. No. 6315 Robb's lots (embraced in Tract A)	3.602 acres
Surv. No. 6315 Ruyos lots (embraced in Tract A)	.155
Samplin's lots	3.587
New Discovery lots	3.96
Net area of Granite Mountain lots	7.160
Total area of Granite Mountain lots	3.17 acres.
Total area of Granite Mountain lots	10.33 acres.
Area in conflict with	
Surv. No. 4009	4.408
" " 4009, exclusive of its con- flict with Samplin's lots	2.265
Surv. No. 4010	2.629
" " 4010, exclusive of its con- flict with Samplin's lots	2.389
Surv. No. 4010, exclusive of its conflict with Ruyos' lots	2.292

Sec. No. 4010, exclusive of its conflict with the Snow lots	2.025 Acres.
Sec. No. 4010, exclusive of its conflict with Sampkins, Venango & Snow lots	1.448
Sec. No. 6315 Retzoff lots (embraced in Tracts A, B and C)	4.403
Sec. No. 6315 Retzoff lots, exclusive of its conflict with Sampkins lots	2.265
Sec. No. 6315 Ruyro lots (embraced in Tracts A, B and C hereafter described)	2.629
Sec. No. 6315 Ruyro lots, exclusive of its conflict with Sampkins lots	2.389
Sec. No. 6315 Ruyro lots, exclusive of its conflict with Venango lots	2.292
Sec. No. 6315 Ruyro lots, exclusive of its conflict with Snow lots	2.025
Sec. No. 6315 Ruyro lots, exclusive of its conflict with Sampkins and Venango lots	2.152
Sampkins lots	2.780
Venango "	340
Snow "	637

Total area of Grand Central lots	10.33 Acres.
Less area in conflict with Sec. No. 6315 Retzoff lots (embraced in Tracts A and B)	2.265 Acres
Sec. No. 6315 Ruyro lots (embraced in Tract A)	2.052
Sampkins lots	2.780
Venango "	340
Net area of Grand Central lots	<u>7.437</u>

Total area of Small Hopes lots	9.250 Acres.
Less area in conflict with Sec. No. 4007	1.906
" " 4010	2.172
" " 6315 Retzoff lots (embraced in Tract B)	1.906
Sec. No. 6315 Ruyro lots (embraced in Tract B)	2.072

Total area of Small Hopes lots	9.250 Acres.
Less area in conflict with Sec. No. 6315 Retzoff lots	1.906 Acres.
" " 6315 Ruyro "	2.172
Net area of Small Hopes lots	<u>5.272</u> Acres.

Total area of Jim Blaine lots	9.250 Acres.
Area in conflict with Sec. No. 4010	1.868
" " 6315 Ruyro lots (embraced in Tract B)	1.868

Total area of Jim Blaine lots	9.250 Acres.
Less area in conflict with Sec. No. 6315 Ruyro lots (embraced in Tract B)	<u>1.868</u>
Net area of Jim Blaine lots	7.382 Acres.

Total of Net area of Grand Central lots	7.437 Acres.
---	--------------

Total area of the Snow lots	7.088 Acres.
Area in conflict with Sec. No. 4010	.946
" " 4010, exclusive of its conflict with Grand Central lots	.342
Sec. No. 6315 Ruyro lots (embraced in Tract A)	.946
Sec. No. 6315 Ruyro lots, exclusive of its conflict with Grand Central lots	.342
Grand Central lots	.607
Grand Central lots, exclusive of its conflict with Sec. No. 6315 Ruyro lots	.554

Total area of the Snow lots	7.088 Acres.
Less area in conflict with Sec. No. 6315 Ruyro lots (embraced in Tract A)	.946 Acres.
Grand Central lots	.554
Net area of the Snow lots	<u>5.138</u> Acres

Tract

Total area of New Discovery lots	10.33 Acres.
Area in conflict with	
Surv. No. 4019	.08 "
" " 4010	1.629 "
" " 4010 exclusive of its conflict with Granite Mountain lots	1.254 "
Surv. No. 6315 Robt. Hoff lots (embraced in Tract A)	.018 "
Surv. No. 6315 Puyos lots (embraced in Tract A)	1.629 "
Surv. No. 6315 Puyos lots, exclusive of its conflict with	
Granite Mountain lots	1.254 "
Granite Mountain lots	.376 "
Total area of New Discovery lots	10.33 Acres.
Area in conflict with	
Surv. No. 6315 Robt. Hoff lots (embraced in Tract A)	.018 Acres.
Surv. No. 6315 Puyos lots (embraced in Tract A)	1.629 " = 1.647 "
Total area of New Discovery lots	8.683 Acres.
Total area of Little Giant lots	10.33 Acres.
Area in conflict with	
Jannette lots	.299 "
Total area of Little Giant lots	10.031 Acres.
Total area of Venango lots	10.33 Acres.
Area in conflict with	
Surv. No. 4010	1.731 "
" " 4010 exclusive of its conflict with Grand Central lots	1.394 "
Surv. No. 6315 Puyos lots	1.731 "
" " 6315 " exclusive of its conflict with Grand Central lots	1.394 "
Surv. No. 6315 Puyos lots, exclusive of portion included in total area of	
Surv. No. 6315 Puyos lots, Tract C, hereinafter described,	
Surv. No. 6315 Puyos lots	1.243 "
Grand Central lots	.376 "

Total area of Venango lots	10.33 Acres.
Area in conflict with	
Surv. No. 6315 Puyos lots (embraced in Tract A)	.455 "
Total area of Venango lots	9.872 Acres.
Total area of Venango lots	10.33 Acres.
Area in conflict with	
Surv. No. 4019	.226 "
" " 4019 exclusive of its conflict with Grand Central lots	.084 "
Surv. No. 4019, exclusive of its conflict with Granite Mountain lots	2.146 "
Surv. No. 4019, exclusive of its conflict with Grand Central and Granite Mountain lots	.024 "
Surv. No. 4010	.472 "
" " 4010, exclusive of its conflict with Grand Central lots	.232 "
Surv. No. 6315 Robt. Hoff lots	2.206 "
" " 6315 " exclusive of its conflict with Grand Central lots	.084 "
Surv. No. 6315 Robt. Hoff lots, exclusive of its conflict with Granite Mountain lots	1.146 "
Surv. No. 6315 Robt. Hoff lots, exclusive of its conflict with Grand Central and Granite Mountain lots	.024 "
Surv. No. 6315 Robt. Hoff lots, exclusive of portion included in total area of Surv. No. 6315 Robt. Hoff lots, Tract C, hereinafter described,	
Surv. No. 6315 Puyos lots	1.470 "
" " 6315 " exclusive of its conflict with Grand Central lots	.232 "
Surv. No. 6315 Puyos lots, exclusive of portion included	

in net area of Sur. No. 6315.	
Rays Lode, Tract C.	
Discovered classified,	227 Acres.
Grand Central Lode	2,720 "
Granite Mountain	3,177 "
Don Harrison	1,170 "

Total area of Sampling Lode	10,330 Acres.
Less area in conflict with	
Sur. No. 6315 Coffey Lode,	
(embraced in Tract B)	736 Acres.
Sur. No. 6315 Rays Lode,	
(embraced in Tract B)	245 "
Don Harrison Lode	1,170 "
Net area of Sampling Lode	8,179 Acres
" " " Don Harrison	10,021 "
" " " Granite Mountain	3,170 "
" " " Grand Central	2,893 "
" " " Small Hoops	5,272 "
" " " Jimmie Blaine	7,382 "
" " " Grover Cleveland	7,088 "
" " " Sewar	8,138 "
" " " New Discovery	8,683 "
" " " Little Chimney	10,031 "
" " " Venango	9,542 "
Net area of claim	82,694 Acres

Location.

This claim is located in the N. 1/2 Sec. 4 and the E. 1/2 Sec. 5 T. 12 S. R. 12 W. of the 6th Principal Meridian.

The improvements upon this claim since taken by the claimant and his grantee consist of:

The discovery open cut of the Don Harrison Lode, 14 x 11.5 x 3.5 ft. in earth and rock, course N. 67° W., the tract of which bears from Cor. No. 1, N. 62° 2' E. 174.9 ft.

The discovery open cut of the Granite

Mountain Lode, 11 x 12 x 4 ft. in earth and rock, course N. 10° E., the mouth of which bears from Cor. No. 5, N. 35° 30' E. 151.3 ft.

An open cut 13 x 11.5 x 4 ft. in earth and rock, course E. 35° W., the mouth of which bears from Cor. No. 5, N. 70° 30' E. 112 ft.

The discovery open cut of the Grand Central Lode, 14 x 12 x 5 ft. in rock, course N. 63° W., the center of which bears from Cor. No. 7, N. 30° 45' E. 322.1 ft.

The discovery open cut of the Small Hoops Lode, 11 x 12 x 4 ft. in earth and rock, course 1.60° N., the center of which bears from Cor. No. 13, N. 19° 12' E. 586.9 ft.

An open cut 11 x 15 x 4.5 ft. in earth, course N. 57° W., the center of which bears from Cor. No. 13, N. 23° 30' E. 436 ft.

The discovery open cut of the Jimmie Blaine Lode, 14 x 10 x 4 ft. in earth and rock, course N. 61° W., the center of which bears from Cor. No. 17, N. 7° 28' E. 1030.8 ft.

The discovery open cut of the Grover Cleveland Lode, 15 x 11 x 4 ft. in earth, course N. 62° W., the mouth of which bears from Cor. No. 23, N. 8° 10' E. 1265 ft.

The discovery open cut of the Sewar Lode, 12 x 10 x 4 ft. in rock, course N. 57° W., the center of which bears from Cor. No. 27, N. 1° 24' E. 1165.8 ft.

An open cut 25 x 18 x 4.5 ft. in rock, course N. 54° W., the center of which bears from Cor. No. 28, S. 25° 30' E. 331.8 ft.

A tunnel 25 x 4 x 3.5 ft. in earth and rock, course N. 67° W., the mouth of which bears from Cor. No. 27, N. 35° 51' E. 370 ft.

The discovery open cut of the New Discovery Lode, 12 x 10 x 4 ft. in earth and rock, course N. 55° W., the mouth of which bears from Cor. No. 31, N. 12° 25' E. 1156 ft.

An open cut 12 x 12 x 4 ft. in earth and

rock, course S. 78° N. the breast of which
beams from Cor. No. 32, S. 11° 15' E. 350 ft.

Can open cut 18 x 14 x 5 ft. in rock,
course N. 71° N. the mouth of which beams
from Cor. No. 32, S. 13° E. 451 ft.

A tunnel 4 9 x 6 x 3.5 ft. timbered 10 ft.
course N. 44° 15' N. in rock, the mouth
of which beams from Cor. No. 32, S. 34°
20' E. 368 ft.

The discovery open cut of the Little Giant
beds, 14 x 10.8 x 4 ft. in earth and rock,
course N. 0° N. the mouth of which
beams from Cor. No. 35, N. 29° 20' E. 501.7 ft.

The discovery open cut of the Cummings
beds, 15 x 10 x 4 ft. in rock, course N. 84° N.
the mouth of which beams from Cor. No. 38
N. 32° 37' N. 1482.5 ft.

An open cut 11 x 12 x 5 ft. in rock, course
S. 55° N. the mouth of which beams from
Cor. No. 37 N. 71° 15' E. 130.7 ft.

A tunnel 15 x 6 x 4 ft. in rock, course
N. 86° N. the mouth of which beams from
Cor. No. 37 N. 73° E. 117.5 ft. Not timbered.

An open cut 26 x 7.5 x 7 ft. in rock,
course N. 72° N. the mouth of which beams
from Cor. No. 37, N. 66° E. 167.5 ft.

An open cut 15 x 12 x 5 ft. in rock,
course N. 80° N. the mouth of which beams
from Cor. No. 37, N. 71° E. 105.7 ft.

A tunnel 21 x 6 x 4 ft. in rock,
course N. 73° N. the mouth of which
beams from Cor. No. 37, N. 68° 45' E. 172.5 ft.
Not timbered.

An open cut 19 x 10 x 7 ft. in rock,
course N. 64° N. the mouth of which
beams from Cor. No. 37, N. 64° 35' E. 200 ft.

The discovery open cut and tunnel of
the Dolphin beds, open cut 11 x 10 x 5 ft.
in rock, course N. 70° N. to mouth of
tunnel, 7 ft. to breast of tunnel.
Tunnel 7 x 6 x 4 ft. not timbered, the

mouth of cut beams from Cor. No. 42, N. 7°
32' N. 271.5 ft.

Other Improvements.

An shaft 5 x 5 ft. 15 ft. deep, timbered.
the mouth of which beams from Cor. No.
1, N. 59° 15' E. 152 ft.

A tunnel 6 x 4 ft. 132 ft. long, in rock,
course N. 74° N. the mouth of which beams
from Cor. No. 12, N. 5° 15' E. 100 ft.

An shaft 6 x 6 ft. 20 ft. deep, in rock,
which beams from Cor. No. 12, N. 32°
32' N. 258.1 ft.

An open cut 25 x 10 x 5 ft. in rock,
course N. 31° N. from the breast of which
a tunnel 8 x 6 ft. 25 ft. long, course N. 81° N.
The mouth of cut beams from Cor. No. 12
N. 35° 43' N. 239.5 ft.

An open cut 10 x 11 x 4.5 ft. in earth
course N. 80° N. beams from Cor. No. 12, N. 17°
25' N. 599.5 ft.

An open cut 10 x 12 x 4 ft. in rock, course
N. 27° N. beams from Cor. No. 12 N. 8° N.
660 ft.

From Cor. No. 37, N. 75° E. 150 ft. to mouth of
open cut, 17 x 12 x 5 ft. in rock, course
S. 49° N. 17 ft. to mouth of tunnel, 5.5 x
3 ft. 22 ft. long in rock, course of tunnel
N. 80° N.

From Cor. No. 37, N. 75° 21' E. 237.5 ft. to
mouth of open cut, 11 x 10 x 4 ft. in earth
and rock, course throat to mouth of
tunnel 6 x 3.5 ft. 40 ft. long, in rock,
course of tunnel, West.

From Cor. No. 37, N. 81° E. 256.7 ft. an
open cut 10 x 4 ft., course S. 75° N. 10 ft. to
mouth of tunnel 30 ft. long 6 x 4 ft. in
rock, course of tunnel S. 75° N.

From Cor. No. 40, S. 37° 30' E. 402 ft. to
mouth of open cut, 10 x 8 x 4 ft. course
S. 67° N. 10 ft. to mouth of tunnel 21 ft.

(1-1872)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior;

Office of U. S. Surveyor General,

W. H. S. Surveyor General
1872

I, U. S. Surveyor General for

do hereby certify that the foregoing and hereto attached Field Notes and Return of the

Survey of the Mining Claim of *Edgar A. ...*

located in the ...

... of the ...

... known as the ...

... situated in ...

... mining district,

County, *... State*

In Section *4* of Township No. *12* of Range No. *12* of the

*... designated as Survey No. *1967**

... U. S. Deputy Mineral

... under my instructions dated

... 1872

... have been critically examined and the

... necessary corrections and explanation's made, and the said Field Notes and Return, and

... the Survey they describe, are hereby approved. A true copy of the copy of the location

... certificate filed by the applicant for survey is included in the field notes.

W. H. S. Surveyor General

U. S. Surveyor General for ...

Page 8
E. J. Mott
Recorder

is duly recorded in Book
1880, and
at clock 9.11
Certificate was filed for Record in my
County of Chaffee
STATE OF COLORADO

State of Colorado
County of Chaffee
In the District of Mining District
Mining Claim of Henry A. Keller
On the 1st day of April 1888
I hereby certify that this Location
Certificate was filed for Record in my
County of Chaffee
STATE OF COLORADO

LOCATION CERTIFICATE

the undersigned, has & this 1st day of April 1888, located
and claimed, and by these presents he locates and claims, by right of discovery and location, in
compliance with the Mining Acts of Congress, approved May 10, 1872, and all subsequent acts,
and with local customs, laws and regulations, 1500 square feet and hereinafter
measurement on the Section 6 of Section 6, 1 mile, north, ledge on deposit,
along the vein thereof, with all its lodes, veins and variations, as above by him, together with
1500 feet on the East side and 1750 feet on the
West side of the middle of said vein at the surface, so far as can be determined
from present developments; and all veins, lodes, ledges or deposits and surface ground, within
the lines of said claim, 112 feet running N 30° E from center of
discovery ledge, and 155 feet running N 30° E from center of
discovery ledge; with discovery ledge being shown upon said map, ledge on deposit, and
within the lines of said claim, to Old Mountain Mining District, County
of Chaffee and State of Colorado, described by metes and bounds as
follows, to-wit:

Beginning at corner No. 1, the 112 feet on a front return
discovery ledge and back corner No. 1, 1500 ft.
112 feet, and distance from corner No. 1, 1500 ft.
to corner No. 2, 1500 ft. N 30° E
line to 39° E 200 ft. distance N. 30° E
to 40° E. That there exists within 1500 ft.
to 40° E. that there exists within 1500 ft.
to 40° E. of the above located claim
containing One lode known as 1500 ft.
and one sub-lode known as 1500 ft.
distance 21,350 30' to a corner the street
line of the Union Mineral Company claim
3984 ft. to a corner the street
2130 ft. to a corner the street
1500 ft. to a corner the street
1500 ft. to a corner the street
of legislation, the 14 30' to a corner

Said lode was discovered on the 9th day of August A. D. 1888
Attest: Henry A. Keller
Date of Location April 17th
A. D. 1888
Date of Certificate April 26th
A. D. 1888



STATE OF COLORADO,
 County of Chaffee
 I hereby certify that this Location
 Certificate was first received in my
 office at 11 o'clock A.M.
Oct 15 1885
 is duly recorded in Book 139
 at page 139
J. B. [Signature]
 Recorder.

LOCATION CERTIFICATE
 On the Chaffee Blaine
 Mining Claim of Thos. A. Blair
 In Red Mountain Mining District
Chaffee County,
 State of Colorado.

STATE OF COLORADO,
 County of Chaffee
 Know all Men by these Presents, that J. Samuel R. Elder

the undersigned, on this 22nd day of September 1885 located and claimed, and by these presents do locate and claim, by right of discovery and location, in compliance with the Mining Acts of Congress, approved May 10, 1872, and all subsequent acts, and with local customs, laws and regulations, 1500 linear feet and horizontal measurement on the level lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations, as allowed by law, together with 150 feet on the west side and 150 feet on the east side of the middle of said vein at the surface, so far as can be determined from present developments; and all veins, lodes, ledges or deposits and surface ground, within the lines of said claim, 175 feet running N 30° E from center of discovery shaft, and 137 1/2 feet running S 30° E from center of discovery shaft; said discovery shaft being situate upon said lode, vein, ledge or deposit, and within the lines of said claim, in Red Mountain Mining District, County of Chaffee and State of Colorado, described by metes and bounds as follows, to wit:

Beginning at corner No. 1, Sec. 17, Cor. 4 post-hole corner
 classifying open cut corner N 10° 24' E 1166 ft
 distance to 1500 line claim corner N
16° E 95.5 ft thence N 30° E 700 ft to the West
 side center stake 1500 ft to a post corner
No. 2 thence S 38° 30' E 398.4 ft to a post
 corner No. 3 corner a square line given in claim
 bears N 80° 30' 24' 31" E from peak bears S
74° 55' 24" E Peak on mt. bearing bears S
24° E thence S 30° E 750 ft to east side
 center stake 1500 ft to a post corner No. 4
 thence N 38° 30' E 398.4 ft to corner No. 1 place
 of beginning, N 14° 30' E

This being the said lode originally located on the
22nd day of September 1885, and recorded on the
13th day of November 1885, in Book 76, Page 111
 in the office of the Recorder of Chaffee County, this
 check and amended certificate of location is made with-
 out waiver of any previously acquired right, but for the purpose
 of correcting any errors in the original location description of record.
 said lode was discovered on the 15th

day of August A. D. 1885 } George R. Elder
 Attest: Joseph A. Storm
 Date of Locating, Sept 22nd
 Date of Certificate, Sept 22nd
 A. D. 1885



